

PART 1 - GENERAL

1.1 SUMMARY

- A. This Section includes the following:
 - 1. Concealed sprayed fire-resistive materials for application to steel and concrete.
 - 2. Topcoats, if required.

1.9 WARRANTY

- A. General Warranty: The special warranty specified in this Article shall not deprive the University of other rights the University may have under other provisions of the Contract Documents and shall be in addition to, and run concurrent with, other warranties made by Design/Builder under requirements of the Contract Documents.
- B. Special Warranty: Submit a written warranty, executed by Design/Builder and cosigned by Installer, agreeing to repair or replace sprayed fire-resistive materials that fail within the specified warranty period.
 - 1. Failures include, but are not limited to, cracking, flaking, eroding in excess of specified requirements; peeling; and delaminating of sprayed fire-resistive materials from substrates due to defective materials and workmanship within the specified warranty period.
 - 2. Not covered under the warranty are failures due to damage by occupants and the University's maintenance personnel, exposure to environmental conditions other than those investigated and approved during fire-response testing, and other causes not reasonably foreseeable under conditions of normal use.
- C. Warranty Period: 2 years from date of Notice of Completion.

PART 2 - PRODUCTS

2.1 MATERIALS

- A. As required by the Design/Builder, Code and the State Fire Marshal.

PART 3 - EXECUTION

3.1 GENERAL

- A. As required by the Design/Builder, Code and the State Fire Marshal.

END OF SECTION