

PART 1 - GENERAL

1.1 SUMMARY

- A. This Section includes the following:
 - 1. Steel doors.
 - 2. Steel door frames.
 - 3. Fire rated door and frame assemblies.
 - 4. Louvers in doors.

PART 2 - PRODUCTS

2.1 MANUFACTURERS

- A. Available Manufacturers: Subject to compliance with requirements, manufacturers offering products that may be incorporated into the Work include, but are not limited to, the following:
 - 1. Steel Doors and Frames:
 - a. Door Components, Inc.
 - b. Steelcraft; a division of Ingersoll-Rand.
 - c. Curries Company.
 - d. Ceco.
 - e. Or equal.

2.2 FRAMES

- A. General: Provide steel frames for doors, transoms, sidelights, borrowed lights, and other openings with welded corners. Conceal fastenings, unless otherwise indicated.
- B. Provide 16 gage hollow metal doors and frames at exterior openings. Hollow metal doors shall be shop-primed with shop-primed top and bottom edges. Provide heavier gage frames or reinforcement as required by the door manufacturer for hardware.

PART 3 - EXECUTION

3.1 GENERAL

- A. General: Install steel doors, frames, and accessories according to Shop Drawings, manufacturer's data, and as specified.

3.2 ADJUSTING AND CLEANING

- A. Post construction adjustment: Design/Builder to return 6 months after Notice of Completion and adjust doors and closers to conform to original acceptance.

END OF SECTION