

PART 1 - GENERAL

1.1 SUMMARY

- A. This Section includes smoke containment assembly for elevator doors.

1.2 SYSTEM DESCRIPTION

- A. Elevator door smoke containment assembly designed to be placed over a fire-resistive elevator door to provide a tight-fitting, smoke and draft control assembly complying with UBC Standard 7-2, Part II (based on UL 10B-1988).

PART 2 - PRODUCTS

2.1 MANUFACTURERS

- A. Manufacturer: Provide Smoke Guard Smoke Containment System as manufactured by Smoke Guard Corporation (208) 383-3789 or equal. Represented by Partition Specialties, Inc. (562) 407-3162.
- B. Product Options: Drawings and Specifications are based on the specific system indicated. Other manufacturers' systems with equal performance characteristics may be considered.

PART 3 - EXECUTION

3.1 GENERAL

- A. Install as required by manufacturer and approved by the State Fire Marshal.

3.2 DEMONSTRATION

- A. Engage a factory-authorized service representative to perform training session for the University's maintenance personnel as specified below:
 - 1. Train the University's maintenance personnel on procedures and schedules related to troubleshooting, servicing, preventive maintenance, and procedures for testing and resetting release devices, including semi-annual maintenance required by authorities having jurisdiction.

END OF SECTION