

PART 1 - GENERAL

1.1 SUMMARY

- A. This Section includes the following:
 - 1. Wall access doors and frames.
 - 2. Fire-rated wall access doors and frames.
 - 3. Ceiling access doors and frames.
 - 4. Fire-rated ceiling access doors and frames.

1.2 SUBMITTALS

- A. Coordination Drawings: Reflected ceiling plans drawn to scale and coordinating penetrations and ceiling-mounted items with concealed framing, suspension systems, piping, ductwork, and other construction. Show the following:
 - 1. Method of attaching door frames to surrounding construction.
 - 2. Ceiling-mounted items including access doors and frames, lighting fixtures, diffusers, grilles, speakers, sprinklers, and special trim.
- B. Size Variations: Obtain Design/Builder's acceptance of manufacturer's standard-size units, which may vary slightly from sizes indicated. Minimum 24-inches square for ceiling access.

1.3 COORDINATION

- A. Verification: Determine specific locations and sizes for access doors needed to gain access to concealed equipment, and indicate on schedule specified in "Submittals" Article.

PART 2 - PRODUCTS

2.1 MATERIALS

- A. As required by the Design/Builder, Code and the State Fire Marshal where applicable.
- B. Provide stainless steel access doors and frames at Toilet Rooms and wet locations.

PART 3 - EXECUTION

3.1 GENERAL

- A. As required by the Design/Builder, Code and the State Fire Marshal where applicable.

END OF SECTION